This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 6:		(11) International Publication Number: WO 98/31352
A61K 9/72, 31/165, 31/58	A1	(11) International Publication Number: WO 98/31352
AUIN 3/12, 31/103, 31/30		(43) International Publication Date: 23 July 1998 (23.07.98)
(21) International Application Number: PCT/SE	98/000	0 (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE.
(22) International Filing Date: 13 January 1998 (13.01.9	
(30) Priority Data: 9700135-8 20 January 1997 (20.01.97)	:	TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT,
(71) Applicant (for all designated States except US): AKTIEBOLAG [SE/SE]; S-151 85 Södertälje (SE	ASTF E).	
(72) Inventor; and (75) Inventor/Applicant (for US only): TROFAST, Jan Vapenkroken 34, S-226 47 Lund (SE). (74) Agent: ASTRA AKTIEBOLAG; Patent Dept., S		With international search report. Before the expiration of the time limit for amending the
Södenälje (SE).		amendments.
*		
·		
CONTRACTOR ATTOM FOR INHALATION	11 4 3 / 13	G A POURED BULK DENSITY OF 0.28 TO 0.38 G/ML, A PROCESS
FOR PREPARING THE FORMULATION A		
(57) Abstract		
A dry powder composition comprising one or more p in finely divided form, wherein the formulation has a poure disorders.	ootent p ed bulk	narmaceutically active substances and a carrier substance, all of which are density of from 0.28 to 0.38 g/ml is useful in the treatment of respiratory
·		·
·		
	•	·
·		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	•	_	-					
ΛL	Albania	ES	Spain -	LS	Lesotho	S1	Slovenia	
AM	Armenia	- Fi	Finland	LT	Lithuania	SK	Slovakia	
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal	
AU	Australia	GA	Gabon	LV	Latvia .	SZ	Swaziland	
ΛZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad	
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan	
BB		GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	
BE	Belgium	GR	Greece		Republic of Macedonia	TR	Turkey	
BF	Burkina Faso	HU	Hungary	ML	Mali	TT	Trinidad and Tobago	
BG	Bulgaria	1E	Ireland	MN	Mongolia	UA	Ukraine	
BJ	Benin	1L	Israel	MR	Mauritania	υG	Uganda	
BR	Brazil		Iceland	MW	Malawi	us	United States of America	
BY	Belarus	15		MX	Mexico	UZ	Uzbekistan	
CA	Canada	IT	Italy	NE.	Niger	VN	Viet Nam	
CF	Central African Republic	JP	Japan .		Netherlands	YU	Yugoslavia	
CG	Congo	KE	Kenya	NI.		zw	Zimbabwe	
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	244	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CM	Cameroop		Republic of Korea	PL	Poland			
CN	China	KR	Republic of Korea	PT	Portugal			
Cυ	Cuba	KZ	Kazakstan	RO	Romania	•		
CZ	Czech Republic	ıc	Saint Lucia	· RU	Russian Federation			
DE	Germany	u	Liechtenstein	SD	Sudan			
DK	Denmark .	LK	Sri Lanka	SE	Sweden			
EE	Estonia	LR	Liberia	SG	Singapore			
1								

NEW FORMULATION FOR INHALATION HAVING A POURED BULK DENSITY OF 0.28 TO 0.38 G/ML, A PROCESS FOR PREPARING THE FORMULATION AND THE USE THEREOF

Field of the Invention

The present invention provides a new pharmaceutical formulation, its preparation and its use.

Background to the Invention

Potent drugs for administration by inhalation are generally formulated in association with carriers such as lactose because of the problem of preparing accurate doses. When such drugs are diluted, variations in the weight of the formulation result in a smaller drug dosage variation rate compared with when they are not diluted. These formulations have generally consisted of coarse particles of the carrier with fine particles of the drug, which combination is generally known as an ordered mixture.

The invention provides an improved formulation which, in systems designed to imitate inhalation has been found to give an improved dispersion of the drug.

Description of the Invention

20

According to the invention there is provided a dry powder composition comprising one or more potent pharmaceutically active substances and a carrier substance, all of which are in finely divided form, wherein the formulation has a poured bulk density of from 0.28 to 0.38 g/ml, preferably from 0.30 to 0.36 g/ml.

The poured bulk density according to the present invention is measured using known techniques, for example those described in "Powder testing guide: Methods of measuring the physical properties of Bulk powders" L. Svarovsky, Elsevier Applied Science 1987, pp 84-86.

A potent pharmaceutically active substance suitable for use in the invention is, for example, an antiarrhythmic drug, tranquiliser, cardiac glycoside, hormone, hypertensive drug, antidiabetic or anticancer drug, sedative or analgesic drug, antibiotic, antirheumatic drug, immunotherapy, antifungal or antihypotension drug, vaccine, antiviral drug, protein (e.g. insulin), peptide, vitamin, or a cell surface receptor blocker. It is preferably a glucocorticosteroid, particularly one which is metabolised rapidly, for example beclomethasone dipropionate (BDP), beclomethasone monopropionate (BMP), flunisolide, triamcinolone acetonide, fluticasone propionate, ciclesonide, budesonide, rofleponide or derivatives thereof, momethasone, tipredane, RPR 106541 and/or a β2-agonist such as terbutaline, salbutamol, formoterol, salmeterol, TA 2005, pircumarol or a pharmaceutically acceptable salt thereof; and/or a prophylactic agent such as sodium chromoglycate or nedocromil sodium.

Suitable physiologically acceptable salts include acid addition salts derived from inorganic and organic acids, for example the chloride, bromide, sulphate, phosphate, maleate, furnarate, tartrate, citrate, benzoate, 4-methoxybenzoate, 2- or 4-hydroxybenzoate, 4-chlorobenzoate, p-toluenesulphonate, methanesulphonate, ascorbate, acetate, succinate, lactate, glutarate, gluconate, tricarballylate, hydroxynaphthalene-carboxylate or oleate salts or solvates thereof.

20

10

The carrier substance is preferably a mono-, di- or polysaccharide, a sugar alcohol or another polyol. Suitable carriers are, for example, lactose, glucose, raffinose, melezitose, lactitol, maltitol, trehalose, sucrose, mannitol; and starch. Lactose is particularly preferred, especially in the form of its monohydrate.

25

30

The ingredients of the formulation according to the invention must both be in a finely divided form, i.e. their mass median diameter should generally be less than 10 μ m, preferably from 1 to 7 μ m, as measured by a laser diffraction instrument or a coulter counter. The ingredients may be produced in the desired particle size using methods known to those of skill in the art, e.g. milling, micronisation or direct precipitation.

15

20

25 -

The combination of budesonide and formoterol is particularly preferred. Formoterol is preferably used in the form of its fumarate, especially the dihydrate.

When the one or more potent pharmaceutically active substances used in the invention are formoterol and budesonide, the molar ratio of formoterol to budesonide in the composition of the invention is preferably from 1:2500 to 12:1, more preferably from 1:555 to 2:1, most preferably from 1:133 to 1:6. The composition according to the invention is preferably formulated to provide a daily dose of formoterol of from 2 to 120 nmol (more preferably from 7 to 70 nmol). When formoterol is used in the form of formoterol furnarate dihydrate, the composition is preferably formulated to provide a daily dose of formoterol furnarate dihydrate of from 1 to 50 µg, more preferably from 3 to 30 µg. The composition according to the invention is preferably formulated to provide a daily dose of budesonide of from 45 to 2200 µg, more preferably from 65 to 1700 µg.

More preferably the composition of the invention comprises, as a unit dose, 6µg of formoterol fumarate dihydrate and 100µg of budesonide, or 4.5µg of formoterol fumarate dihydrate and 80µg of budesonide, either of which can be administered up to four times a day. Alternatively the composition of the invention comprises, as a unit dose, 12µg of formoterol fumarate dihydrate and 200µg of budesonide, or 9µg of formoterol fumarate dihydrate and 160µg of budesonide, either of which is administered once or twice a day.

Most preferably the composition used in the invention comprises, as a unit dose, 6µg of formoterol fumarate dihydrate and 200µg of budesonide, or 4.5µg of formoterol fumarate dihydrate and 160µg of budesonide, either of which is administered up to four times a day. Alternatively the composition of the invention comprises, as a unit dose, 12µg of formoterol fumarate dihydrate and 400µg of budesonide, or 9µg of formoterol fumarate dihydrate and 320µg of budesonide, either of which is administered once or twice a day.

According to the invention there is further provided a process for preparing a composition according to the invention which comprises

- (a) micronising the one or more potent pharmaceutically active substances and the carrier substance;
 - (b) optionally conditioning the product; and
 - (c) spheronizing until the desired bulk density is obtained.

The process preferably further comprises a low energy remicronisation step after step (b).

The formulation according to the invention may be made by conventional techniques known per se. Such production processes generally comprise micronising the ingredients to the required size, removing any amorphous areas on the particles obtained by, for example, the methods described in WO 92/18110 or WO 95/05805 and then agglomerating, spheronising and sieving the powder obtained. The size of the agglomerates obtained is preferably in the range of from 100 to 2000 µm, more preferably from 100 to 800 µm. The bulk density of the formulation produced may be adjusted by varying the components and the process empirically, for example the bulk density can be increased by lengthening the time in which the particles are tumbled in a spheronising device.

In solid-solid mixing, one of the most important features is to ensure content uniformity. The major problem encountered in the powder mixing of fine powders is the inability of mixers to break down powder agglomerates. It has been found that a remicronisation step after the conditioning step of the fine powder with low energy input is advantageous. It should generally be carried out using enough energy to break down powder agglomerates but not with so much energy that the size of the particles themselves is affected. Such a step gives a composition wherein the active substance and carrier substance are substantially uniformly distributed, having for example a relative standard deviation of less than 3% (preferably less than 1%) and does not disturb the crystallinity of the fine particles.

20

The formulation according to the invention may be administered using any known dry powder inhaler, for example the inhaler may be a single or a multi dose inhaler, and may be a breath actuated dry powder inhaler, for example Turbuhaler (trade mark). The invention further provides use of a composition according to the invention in the manufacture of a medicament for use in therapy. The composition according to the invention is useful in the treatment of respiratory disorders, particularly asthma. The invention also provides a method of treating a patient suffering from a respiratory disorder which comprises administering to the patient a therapeutically effective amount of a composition according to the invention.

10

15

The invention is illustrated, but not limited, by reference to the following Examples.

Example 1

0.0315 Parts of formoterol fumarate dihydrate and 2.969 parts of lactose monohydrate are mixed in a tumbling mixer (Turbula) to an evenly distributed mixture, whereafter the mixture is micronised in a spiral jet mill using a pressure and feeding rate suitable to obtain a particle size of less than 3 µm (mass median diameter as measured by a coulter counter). The micronised particles were then treated using the method disclosed in WO 95/05805 to remove amorphous regions in their crystal structure. The powder was then agglomerated by feeding the powder into a twin screw feeder (K-Tron), sieving in an oscillating sieve (0.5 mm mesh size), spheronising in a rotating pan with a peripheral speed of 0.5m/s for 4 minutes and then sieving again using the same sieve, then spheronising once more for 6 minutes before final sieving (mesh size 1.0 mm) giving a powder with a bulk density of 0.32g/ml.

25

20

Example 2

Example 1 was repeated but the powder was remicronised in a spiral jet mill at a lower pressure (about 1 bar) after micronisation and conditioning such that the step of treating the

particles in the manner described in WO 95/05805 was not required giving a powder with a bulk density of 0.32 g/ml.

Example 3

9 Parts of budesonide and 91 parts of lactose monohydrate were micronised separately in a spiral jet mill at a pressure of about 6-7 bars to give a particle size of less than 3 μm before being mixed thoroughly in a Turbula mixer. Before mixing, the lactose monohydrate powder was conditioned according to the method described in WO 95/05805. The mixture was remicronised in a spiral jet mill at a pressure of only about 1 bar to obtain a uniform mixture. The powder was then agglomerated and spheronised as described in Example 1 to obtain a bulk density of 0.35 g/ml.

Example 4

60 Parts of terbutaline sulphate were micronized to a mass medium diameter of less than 2 µm in a Alpin mill 100AFG and thereafter conditioned according to the method described in US 5562923. 40 Parts of lactose monohydrate were micronized (Alpin mill 100AFG) down to a mass medium diameter of less than 3 µm and thereafter conditioned according to the method described in WO 95/05805. The micronized and conditioned terbutaline sulphate and lactose monohydrate were mixed thoroughly in a Turbula mixer. The mixture was remicronised in a spiral jet mill at a pressure of only about 1 bar to obtain an evenly distributed mixture. The powder was then agglomerated and spheronised as described in Example 1 to obtain a bulk density of 0.28 g/ml.

Example 5

Example 4 was repeated with 30 parts of terbutaline sulphate and 70 parts of lactose monohydrate to give a powder with a bulk density of 0.31 g/ml.

10

15

Example 6

5.2 Parts of formoterol fumarate dihydrate and 896.8 parts of lactose monohydrate were mixed in a tumbling mixer to an evenly distributed mixture, whereafter the mixture was micronised in a spiral mill using a pressure and feeding rate suitable to obtain a particle size of less than 3 µm (mass medium diameter as measured by a coulter counter). The micronised particles were then treated using the method described in WO 95/05805 to remove amorphous regions in their crystal structure. 98 parts of micronised budesonide were added and the mixture was remicronized at a lower pressure in a spiral jet mill to a homogenous mixture. The powder was then agglomerated by feeding into a screw feeder (K-Tron), sieved in an ocillating sieve (0.5 mm mesh size), spheronised in a rotating pan with a speed of 23 rpm for 10 minutes, then sieved again (0.5 mm mesh size), spheronised once more before final sieved (0.8 mm mesh size) to give a powder with a bulk density of 0.34 g/ml.

Example 7

Example 6 was repeated with identical conditions but using 5.2 parts of micronized formoterol furnarate dihydrate, 798.8 parts of micronized lactose monohydrate and 196 parts of micronized budesonide. The bulk density obtained was 0.34 g/ml.

15

Claims

- 1. A dry powder composition comprising one or more potent pharmaceutically active substances and a carrier substance, all of which are in finely divided form, wherein the formulation has a poured bulk density of from 0.28 to 0.38 g/ml.
 - 2. A composition according to claim 1 wherein the one or more potent pharmaceutically active substances are budesonide and formoterol.
- 3. A composition according to claim 1 or 2 wherein the bulk density is from 0.30 to 0.36 g/ml.
 - 4. A composition according to claim 1, 2 or 3 wherein the active substance and carrier substance are substantially uniformly distributed.
 - 5. A composition according to any one of claims 1 to 4 for use in the treatment of a respiratory disorder.
 - 6. A process for preparing a composition according to claim 1 which comprises
 - (a) micronising the one or more potent pharmaceutically active substances and the carrier substance;
 - (b) optionally conditioning the product; and
 - (c) spheronizing until the desired bulk density is obtained.
- 7. A process according to claim 6 which comprises a low energy remicronisation step after step (b).
 - 8. Use of a composition according to any one of claims 1 to 4 in the manufacture of a medicament for use in therapy.

PCT/SE98/00040

9. A method of treating a patient suffering from a respiratory disorder which comprises administering to the patient a therapeutically effective amount of a composition according to any one of claims 1 to 4.

INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 98/00040

A. CLASSIFICA	TION OF SUBJECT MATTER		
	9/72, A61K 31/165, A61K 31/58 ational Patent Classification (IPC) or to both nat	tional classification and IPC	
B. FIELDS SEA			
Minimum documen	tation searched (classification system followed by	classification symbols)	
IPC6: A61K	rched other than minimum documentation to the	extent that such documents are included in	the fields searched
		extent that such documents at menanta in	the fields seasoned
	classes as above		
Electronic data base	e consulted during the international search (name	of data base and, where practicable, search	terms used)
WPI, USPATE	ULL CAPLUS		
	TS CONSIDERED TO BE RELEVANT		
Category* Citati	on of document, with indication, where app	ropriate, of the relevant passages	Relevant to claim No.
X US	5551489 A (EVA A. C. TROFAST 3 Sept 1996 (03.09.96), colu		1-9
	. 		
X US.	4590206 A (RAYMOND B. FORREST 1986 (20.05.86), column 4, l column 4, line 46 - line 47		1-9
1			
	·		
	· .		
		•	
		·	
		Y	
	•		
		·	
	•		
Further doc	uments are listed in the continuation of Box	C. See patent family annex	
Special categori	es of cited documents:	"T" later document published after the inte	rnational filing date or priority
"A" document definition to be of particular	ing the general state of the art which is not considered	date and not in conflict with the appli- the principle or theory underlying the	invention
	but published on or after the international filing date	"X" document of particular relevance: the considered novel or cannot be considered.	claimed invention cannot be
cited to establish	h may throw doubts on priority claim(s) or which is h the publication date of another citation or other	step when the document is taken alone	
	as specified) ring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive ster combined with one or more other such	when the document is
"P" document publi the priority date	shed prior to the international filing date but later than a claimed	being obvious to a person skilled in the	e art
Date of the actua	al completion of the international search	Date of mailing of the international s	earch report -05- 1998
13 May 199	98		
	ng address of the ISA/	Authorized officer	
Swedish Paten		A1: 1805	
Box 5055, S-10	2 42 STOCKHOLM	Anneli Jönsson Telephone No. + 46 8 782 25 00	

Form PCT/ISA/210 (second sheet) (July 1992)





INTERNATIONAL SEARCH REPORT

International application No.
PCT/SE 98/00040

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. Claims Nos.: 9 because they relate to subject matter not required to be searched by this Authority, namely: Remark: Claim 9 is directed to method of treatment of the human or animal body by therapy methods practised on the human or animal body/Rule 39.1(iv). Nevertheless, a search has been executed for this claims. The search has been based on the alleged effects of the composition.
2. Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.
140 protest accompanies are payment of accompanies are

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)





Information on patent family members

29/04/98

International application No. PCT/SE 98/00040

Patent document cited in search report	Publication date		Patent family member(s)		Publication date
US 5551489 A	03/09/96	AU	7826194	A	01/05/95
00 0001 1 00 //		CZ	9600942	A	12/06/96
		EP	0721331	A	17/07/96
		FI	961430	A	29/03/96
		HU	74519	A	28/01/97
		HU	9600821	D	00/00/00
		IL	111080	D .	00/00/00
		NO	961290	A	29/03/96
		PL	313765	A	22/07/96
		SE	9303214		00/00/00
		SE	9304271		00/00/00
		WO	9509615		13/04/95
•		ŽĀ	9407533	Α	03/04/95
·		AU	679789		10/07/97
		BR	9407686		04/02/97
		IL	113023	D	00/00/00
		JP	9504224	T	28/04/97
•	•	SE	9400896	D	00/00/00
		SK	39196	Α	04/06/ 9 7
		CN	1132476	Α	02/10/96
US 4590206 A	20/05/86	AU	540826	В	06/12/84
05 1020200 11		AU	8635582		10/02/83
		BE	893912		24/01/83
		CA	1187415	A	21/05/85
		CH	657273	A,B	29/08/86
•		DK	159716	B,C	26/11/90
		DK	325982	A	25/01/83
		EP	0072046	A,B	16/02/83
		SE	0072046	T3	
		FI	822548	A	25/01/83
		FR	2510405	Α .	04/02/83
•		GB	2105189	A,B	23/03/83
		HK	10088		12/02/88
* **		JP	4068285		02/11/92
		JP	58059914		09/04/83
		LU	84291		07/02/83
•	•	PT	75310		29/11/85
		US	5260306	_	09/11/93
		ZA	8205222		25/05/83

Form PCT/ISA/210 (patent family annex) (July 1992)